

F.No. Q-15018/34/2015-CPW
Government of India
Ministry of Environment, Forest and Climate Change
(CP Division)

*Prithvi-324, Indira Paryavaran Bhavan,
Jor Bagh Road, New Delhi – 110 003.*

Dated, the 2nd August, 2017

To

M/s Bali Test House Pvt. Ltd.
Street No. 12, Jeevan Nagar
Focal Point, Phase V
Ludhiana – 141010, Punjab

Subject: Application of M/s Bali Test House Pvt. Ltd., Street No. 12, Jeevan Nagar, Focal Point, Phase V, Ludhiana – 141010, Punjab for recognition as Environmental Laboratory under the Environment (Protection) Act, 1986 – regarding.

Sir,

I am directed to refer to your application submitted vide letter No. BTPL/LAB/MOEF-appli./2016/01 dated 17.08.2016 for recognition of laboratory under Environment (Protection) Act, 1986. Based on the recommendations of the Expert Committee for recognition of Environmental Laboratories, in its 49th meeting held on 28.02.2017 and your acceptance of the revised terms and conditions at Annexure-III & IV of the Guidelines for recognition of Environmental Laboratories, this Ministry approves the recognition of M/s Bali Test House Pvt. Ltd., Street No. 12, Jeevan Nagar, Focal Point, Phase V, Ludhiana – 141010, Punjab for five years, as shall be notified in the Gazette of India.

2. As sought in your aforementioned application, M/s Bali Test House Pvt. Ltd. may undertake the following tests:

- i. **Physical Tests:** Conductivity, colour, pH, Fixed & volatile solids, Total solids, Total dissolved solids, Total suspended solids, Turbidity, Temperature, Velocity & discharge measurement of industrial effluent stream, Flocculation test (Jar test), Odour, Salinity, Settleable solids and Sludge volume index (SVI)
- ii. **Inorganic (General & Non-metallic):** Acidity, Alkalinity, Ammonical nitrogen, Chloride, Chlorine residual, Dissolved oxygen, Fluoride, Total hardness, Total kjehldal nitrogen (TKN), Nitrite nitrogen, Nitrate nitrogen, Phosphate, Sulphate, Silica, Cyanide and Sulphide
- iii. **Inorganic (Trace metals):** Boron, Cadmium, Calcium, Chromium Total, Chromium Hexavalent, Copper, Iron, Lead, Magnesium, Mercury, Nickel, Potassium, Sodium, Sodium absorption ratio, Zinc, Arsenic, Aluminium, Barium, Manganese, Selenium, Silver, Tin and Antimony
- iv. **Organics (General) and Trace Organics:** Bio-chemical oxygen demand (BOD), Chemical oxygen demand (COD), Oil & grease, Phenol, Pesticide (Organo-chlorine, Organo nitrogen-phosphorous), Total organic carbon (TOC), Surfactants, Polychlorinated biphenyls (PCB), Polynuclear aromatic hydrocarbons (PAH), Organic carbon (in solid) and Carbon/ Nitrogen ratio
- v. **Microbiological:** Total coliform. Faecal coliform, Faecal streptococci, E.coli, Total plate count and Enterococcus

- vi. **Toxicological:** Bioassay method for evaluation of toxicity using fish and measurement of toxicity factor using zebra fish
- vii. **Hazardous Waste:** Preparation of leachate (TCLP extract/ water extract), Ignibility (Flash point), Toxicity and Measurement of heavy metals/ pesticides in the waste/ leachate
- viii. **Soil/ Sludge/ Sediment and Solid Waste:** Boron, Cation Exchange Capacity (CEC), Electrical Conductivity, Nitrogen available, Organic carbon/ matter (chemical method), pH, Phosphorous (available), Phosphate (ortho), Phosphate (total), Potassium, SAR in soil extract, sodium, Soil moisture, TKN, Calorific value, Ammonia, Bicarbonate, Calcium, Chloride, Exchangeable Sodium Percentage (ESP), Gypsum requirement, Magnesium, Nitrate, Nitrite, Sulphate, Sulphur, TOC, Total water soluble salt, and Water holding capacity
- ix. **Ambient Air/ Fugitive Emissions:** Nitrogen dioxide (NO₂), Sulphur dioxide (SO₂), Total suspended particulate matter, Respirable suspended particulate matter (PM₁₀), Ammonia, Carbon monoxide, Lead, Ozone, Benzene Toluene Xylene (BTX), Polycyclic aromatic hydrocarbon (PAH), Benzo-a-pyrene & others, and PM_{2.5}
- x. **Stack Gases/ Source Emission:** Particulate matter, Sulphur dioxide, Velocity & flow, Carbon dioxide, Carbon monoxide, Temperature, Oxygen, Oxides of nitrogen, Acid mist, Ammonia, Fluoride (particulate), Hydrochloric acid, Hydrogen sulphide, Carbon disulphide
- xi. **Noise Level:** Noise level measurement (20 to 140 dba) and Ambient noise & source specific noise
- xii. **Meteorological:** Ambient temperature, Wind direction, Wind speed, relative humidity, Solar radiation and Rain fall


3. The laboratory shall compulsorily participate in the Analytical Quality Control (AQC) exercise conducted by the Central Pollution Control Board (CPCB) at least once a year to ascertain the capability of the laboratory and analyses carried out and shall submit quarterly progress reports to this Ministry.

4. Periodic surveillance of the recognized environmental laboratory will be undertaken by this Ministry/ CPCB to assess its proper functioning, systematic operation and reliability of data generated at the laboratory.

5. It is also mandatory for the laboratory to have requisite accreditations of the NABL/ ISO 9001 and OHSAS and its renewal as per accreditation rules. Permission in para 2 above is subject to such accreditations and renewal, as applicable.

6. The laboratory should compulsorily follow the accepted Terms & Conditions. In case of serious non-compliance of any of the Terms and Conditions, the laboratory may be black-listed for a minimum period of two years and civil/ criminal proceedings, as applicable, may be initiated for performing functions on behalf of the Government in an unauthorized manner.

Yours faithfully,


(Dr. Susan George K.)
Scientist 'D'

Tel. No. 011-24695439
Email: susan.george@nic.in

Copy to:

1. Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, New Delhi – 110032.
2. Member Secretary, Punjab Pollution Control Board, Vatavaran Bhawan, Nabha Road, Patiala
3. Additional Principal Conservator of Forests (C), Ministry of Environment, Forest and Climate Change, Regional Office (NZ), Bays No. 24-25, Sector 31 A, Dakshin Marg, Chandigarh – 160030
4. IT Division, MoEF&CC, New Delhi – 110003 . *for uploading on MoEF&CC website.*

Swan
08/09/17