SUGGESTED MEASURES TO MITIGATE ASIAN ELEPHANT - TRAIN COLLISIONS **ON VULNERABLE RAILWAY STRETCHES** 

## **ARUNACHAL PRADESH**







भारतीय वन्यजीव संस्थान Wildlife Institute of India



10

0

Jorin Hall

© PE-WII, 2024 Project Elephant, Ministry of Environment, Forest and Climate Change, Government of India & Wildlife Institute of India

Photo Credits & Maps

Udaiveer Singh, Survey Team, Al Generated

Others : Creative Commons Attribution Licence

**Graphics, Illustrations & Deisgn** Kashish Sherdia

**Citation:** PE-MoEFCC-WII (2024). Suggested Measures to Mitigate Asian Elephant - Train Collisions on Vulnerable Railway Stretches in the state of Arunachal Pradesh. Project Elephant Division, Ministry of Environment, Forest and Climate Change, Government of India and Wildlife Institute of India. Pp. 36 suggested measures to mitigate ASIAN ELEPHANT - TRAIN COLLISIONS ON VULNERABLE RAILWAY STRETCHES

## **ARUNACHAL PRADESH**





भारतीय वन्यजीव संस्थान Wildlife Institute of India **AUGUST 2024** 

670

0

ABRIT HILL



To minimize the risk of collisions between elephants and trains, the Ministry of Environment, Forest and Climate Change and the Ministry of Railways in India have jointly undertaken several measures. These include the construction of underpasses and overpasses for safe elephant passage, setting up of signage boards to warn locomotive drivers, and speed regulations in elephant corridors. Further, efforts have also been made to sensitize train drivers and railway staff about elephant movements and using technology to track and predict elephant movements near railway tracks .These collaborative efforts aims to safeguard elephant populations while ensuring the smooth operation of railway services, and are part of a comprehensive strategy to reduce train-elephant collisions.

By implementing early warning systems like DAS, underpasses, overpasses, level crossings and installing barriers at vulnerable points along railway tracks, the Ministry of Environment, Forest and Climate Change and the Ministry of Railways aim to create a safer environment for elephants while maintaining efficient rail operations.

The collaboration between the Ministry of Environment, Forest and Climate Change and the Ministry of Railways underscores the importance of inter-departmental cooperation in wildlife conservation. By aligning their efforts, these ministries are working towards a sustainable solution to mitigate the risk of elephant-train collisions.

A combination of technological innovations, such as the use of thermal imaging cameras and automated alert systems, & traditional methods, like patrolling and community involvement, are being employed by the Ministry of Environment, Forest and Climate Change and the Ministry of Railways to protect elephants from train accidents. Shri Bhupender Yadav Hon'ble Minister, Environment, Forest and Climate Change, Govt. of India

Shri Kirtivardhan Singh Hon'ble Minister of State, Environment, Forest and Climate Change, Govt. of India Shri Ashwini Vaishnaw Hon'ble Minister, Ministry of Railways, Govt. of India Shri V. Somana

Hon'ble Minister of State, Ministry of Railways, Govt. of India Shri Ranveet Singh

Hon'ble Minister of State, Ministry of Railways, Govt. of India

#### Ministry of Environment, Forest and Climate Change, Govt. of India

Ms. Leena Nandan Secretary, MoEF&CC

Shri Jitendra Kumar Director General of Forest & Special Secretary, MoEF&CC

**Sh. C. P. Goyal** Former Director General of Forest & Special Secretary, MoEF&CC

Dr. S. P. Yadav Former ADG, (PT & E), MoEF&CC

Dr. G. S. Bharadwaj ADG, (PT & E), MoEF&CC

Principal Chief Conservators of Forests (Wildlife) of Elephant Range States

#### Ministry of Railways, Govt. of India

Ms. Jaya Varma Sinha Chairman & Chief Executive Officer, Railway Board

Shri. Anil Kumar Lahoti Former, Chairman & Chief Executive Officer, Railway Board

Shri. Vinay Kumar Tripathi Former, Chairman & Chief Executive Officer, Railway Board

Shri Anil Kumar Khandelwal Member Infrastructure Shri N. C. Karmali ED (Coord.)/Gati Shakti

Shri. Kamlesh Gosai ED/Gati Shakti (Traffic)

Shri Dhananjaya Singh ED/GS(Civil)-II

General Managers and Divisional Railway Managers of Various Railway Zones

#### Wildlife Institute of India

Dr. Ruchi Badola Dean, FWS, WII

Dr. S. Sathyakumar Scientist G/Registrar, WII

Dr. Bivash Pandav Scientist G/Research Coordinator







#### Ministry of Environment, Forest and Climate Change, Govt. of India

Shri Ramesh K. Pandey IG, (PT & E), MoEFCC

**Dr. Dheeraj Mittal** AIGF, (PT & E), MoEF&CC

**Dr. Dharmendra Gupta** Director (S), (PT & E), MoEF&CC

**Dr. K. Muthamizh Selvan** Addl. Director (S), (PT & E), MoEF&CC

**Dr. Rajendra Kumar** Scientist D, (PT & E), MoEF&CC

#### Ministry of Railways, Govt. of India

Shri Anil Kumar Khandelwal Member Infrastructure

**Shri. Kamlesh Gosai** *ED/Gati Shakti (Traffic)* 

Shri Dhananjaya Singh ED/GS(Civil)-II

#### Wildlife Institute of India

Sh. Virendra R. Tiwari Director

**Dr. Parag Nigam** Scientist G & NO Elephant Cell

**Dr. Bilal Habib** Scientist F & ANO Elephant Cell

**Dr. Lakshminarayanan** Project Scientist

**Sh. Udhayaraj A. D.** GIS Expert

#### **Core Coordination Team**

**Dr. Bilal Habib** Scientist F & ANO Elephant Cell, WII

Dr. Akanksha Saxena Project Scientist, WII

Shri Aditya Bisht Project Consultant- B

#### SURVEY TEAM: WII & PE, MoEFCC

Dr. Akanksha Saxena Project Scientist-I



# CONTENTS

01.	INTRODUCTION	01
02.	FIELD SURVEY	02
03.	<ul> <li>SITE SPECIFIC FINDINGS &amp; MITIGATION MEASURES</li> <li>3.1 Jonai to Pasighat railway line near the Poba Reserve Forest, Arunachal Pradesh- Assam border</li> <li>3.2 Harmuti-Gumto-Naharlagun railway line passing through the Durpong-Doimukh at Khundakuwa elephant corridor</li> </ul>	04
04.	GENERAL RECOMMENDATIONS FOR ALL SITES	10
05.	DASHBOARD FOR MONITORING IMPLEMENTATION OF MITIGATION MEASURES	11
06.	LIST OF STATE FOREST DEPARTMENT & INDIAN RAILWAYS OFFICIALS CONSULTED DURING THE SURVEY	13
07.	REFERENCES	14
08.	APPENDIX 1	15

### **01. Introduction**

The Asian elephant (*Elephas maximus*) distribution in the north-eastern states of India is spread over the states of Assam, Nagaland, Arunachal Pradesh, Tripura, Mizoram and Meghalaya. However, most of this population is concentrated in Assam, with continuous distribution in Arunachal Pradesh and Nagaland. The following description relates to elephant distribution in this semi-contiguous population spread across the states of Assam, Arunachal Pradesh and Nagaland, as it pertains to the purpose of this survey.

The wilderness of the north-east consisting of several states supports a wide variety of biodiversity and is home to several important protected areas, including the Kaziranga and Manas National Parks, both being UNESCO World Natural Heritage Sites.

The elephant distribution in and around Assam is spread out over four distinct populations (Project Elephant, 2023), and is contiguous with some neighbouring states as well. Apart from the four major populations, few isolated habitats also exist that support some elephants.

• The population on the north bank of the Brahmaputra extends from northern West Bengal through the Himalayan foothills and Duars covering southern Bhutan, northern Assam and Arunachal Pradesh along the Brahmaputra River, and part of the flood plains of the Brahmaputra and Lohit River in eastern Assam.

Three populations exist on the southern bank of the Brahmaputra – the eastern, central and western areas.

- The eastern population is spread over lower Dibang Valley and Lohit, Changlang and Tirap districts in Arunachal Pradesh, Tinsukia, Dibrugarh, Sibsagar, Charaideo, Jorhat and Golaghat districts in Assam; and Mon, Tuensang, Mokokchung and Wokha districts in Nagaland.
- The central range extends from Kaziranga National Park across the Karbi plateau, parts of the central Brahmaputra plains, and the basin of the Diyung Rivers to the foot of the Meghalaya plateau in Assam and Meghalaya.
- The western range extends from near Guwahati through the foothills of the Meghalaya plateau including Kamrup, Goalpara districts in Assam, and Rhi-Bhoi, West Khasi Hills, East Garo Hills, West Garo Hills, Southwest Garo Hills and South Garo Hills in Meghalaya.

The corridors connecting the north-eastern elephant populations spread across these states are also coming under threat from the operational railway tracks in the region. Consequently, these railway lines are a threat to the connectivity amongst these elephant range states that are already under pressure from other anthropogenic activities. Based on a meeting on 17<sup>th</sup> August 2022, the Hon'ble Minister of Railways, Government of India, instructed the Ministry of Environment, Forest and Climate Change (MoEF&CC) to provide at least 100 locations of existing railway segments across sensitive elephant and tiger landscapes in the country for construction of permanent mitigation measures in view of wildlife-train collisions (Proceedings under Ministry of Railways letter No. 2022/CE-IV/Elephant Pass dated 30<sup>th</sup> September 2022). Consequently, details of sensitive stretches for constructing permanent and temporary mitigation measures were provided by the MoEF&CC (vide OM F.No. 12-1/2019-PE (Part-I), dated 30<sup>th</sup> August 2022).

A total of 24 priority railway segments were identified in the region, including 5 in Arunachal Pradesh. The railway lines in Nagaland and Arunachal Pradesh states lay on the border with Assam.

### **O2. Field Survey**

A representative of the Wildlife Institute of India, local representatives of the Forest Department and Indian Railways (NFR) conducted a joint field survey of the identified priority railway stretches in the states of Assam, Arunachal Pradesh and Nagaland (Fig. 1) during 19<sup>th</sup> – 27<sup>th</sup> March 2024. During the survey, the survey team inspected the railway track, particularly sites vulnerable to elephant mortality and areas where frequent elephant crossings were observed, based on information from the Forest Department. We relied on information such as previous incidences of elephant/wild animal mortality, elephant movement trails intersecting railway tracks, GPS coordinates and chainages (km) of these sites from concerned officials. We then suggested mitigation measures based on multiple factors including width of crossing zone, track height of the railway line, presence of drainage structure and human infrastructure (and consequent potential for conflict) in that segment.

On consultation with field forest and railway officials, it was observed that some railway lines had not been constructed yet, were not operational, or did not lie in elephant areas. These were not inspected. Further, we inspected additional railway stretches that were highlighted by forest officials as vulnerable to elephant-mortality or as a barrier to their movement in the area.

\* The objective of the field survey was to minimise elephant-train collisions either by constructing underpasses and overpasses wherever possible, by reducing the time taken by elephants to cross the railway tracks by easing movement across the track through construction of ramps and level crossings, and by implementation of technology for early detection and warning systems.



**Figure 1:** Identified priority railway line stretches (orange lines) for field survey in the states of Assam, and bordering Nagaland and Arunachal Pradesh, with respect to the protected areas (yellow polygons).

### 03. Site-Specific Findings & Mitigation Measures

#### 3.1. Jonai to Pasighat railway line near the Poba Reserve Forest, Arunachal Pradesh-Assam border

#### Survey date: 21st March 2024

The Poba Reserve Forest is spread across Arunachal Pradesh (East Siang district) and Assam (Dhemaji district), with the National Highway 515 passing through it acting as the state boundary. Poba RF, recently upgraded to Wildlife Sanctuary status, is rich in flora and fauna. It forms part of an important elephant corridor, connecting the hills of Arunachal to the north, the D'Ering (Memorial) Wildlife Sanctuary and Dibru-Saikhowa National Park to the south and east via confluence of rivers Siang, Dibang and Lohit (Fig. 3). It is often called the last remaining rain forest of Assam, with a rich repository of wild edible plants. The forest is under immense pressure from anthropogenic activities.

#### **Observations:**

- The Jonai to Pasighat railway line is currently under construction (Fig. 2).
- Though the railway line does not pass through the Reserve Forest, Forest Department officials have reported elephant movement between the northern part of the Forest and foothills of Arunachal Pradesh. Three such crossing points intersecting the railway line were reported (Fig. 4).
- The land use adjacent to the railway line is mostly agriculture and few human settlements interspersed with natural vegetation and small streams.



**Figure 2:** The Jonai to Pasighat railway line is currently under construction, and passes near the northern boundary of the Poba Reserve Forest bordering Assam and Arunachal Pradesh.



Figure 2: Location where occasional elephant crossing is reported to occur.

#### **Recommendations:**

- Ramps with level crossings to facilitate elephant movement across the railway track are recommended across the three crossing points identified on field.
- WII guidelines on design specifications for mitigation measures (Appendix) may be referred to for structural details of the ramps and level crossings. The mid-point GPS locations of the crossing zones are shown in Table I and Figure 5.

 Table 1: Mid-point GPS locations of three elephant crossing zones identified along the under-construction

 Jonai-Pasighat railway line near Poba Reserve Forest, Assam and Arunachal Pradesh.

S.No. (	Crossing points	Mid-point GPS
١.	Poba I	27° 54.541'N 95° 16.311'E
2.	Poba 2	27° 54.033'N 95° 15.500'E
3.	Poba 3	27° 53.884'N 95° 15.287'E



**Figure 4:** The Jonai-Pasighat railway line alignment currently under construction aligned north of the Poba Reserve Forest in Assam and Arunachal Pradesh.Yellow pins represent reported elephant crossing points across the railway line.



**Figure 5:** Proposed/under construction bridges (white arrows) on the Jonai-Pasighat railway line, and elephant crossing zones (yellow pins) as indicated by Forest Department personnel. Ramps and level crossings for elephant movement are to be constructed at each of the three crossing points.

### 3.2. Harmuti-Gumto-Naharlagun railway line passing through the Durpong-Doimukh at Khundakuwa elephant corridor

#### Survey date: 21st March 2024

The Durpong-Doimukh at Khundakuwa corridor connects the Durpong Reserve Forest to the south-west with the Doimukh Reserve Forest to the north-east. The corridor is intersected by the National Highway 415 connecting Banderdawa to Itanagar, the Doimukh-Harmuti road, the Harmuti-Gumto-Naharlagun railway line and multiple human settlements and agricultural fields (Fig. 6).

#### **Observations:**

- The corridor connecting the two reserve forests is intersected by multiple roads, a railway line, stone crusher sites, human settlements and agricultural land. Some of the human settlements were reported to be encroachments, such as those on the nalas used by elephants for movement. Walls and human activities such as burning of fire in these areas to repel elephant movement have been reported.
- The railway line was established in 2014, and the train traffic is currently low (4 trains daily). No elephant accidents have been reported on the stretch yet.
- Reduced use of the corridor was reported in 2017. According to forest officials, movement has been infrequent in recent years too, except for paddy-harvesting season. However, it is improbable that elephants have been able to cross the corridor completely.

#### **Recommendations:**

- The railway line is soon to be electrified. All electrical infrastructure should be proofed so as to avoid incidences of wildlife electrocution.
- Drainage structures on the railway line are to be kept free of human encroachments.

#### NOTE:

The railway line in the Namsai region of Arunachal Pradesh was reported to be under planning. Consequently, it is recommended that assessment of probable impacts and mitigation planning be conducted as soon as the planning process is completed.

![](_page_19_Figure_0.jpeg)

**Figure 6:** Location of the Harmuti-Gumto-Naharlagun railway line, and other anthropogenic infrastructure and land uses, intersecting the Durpong-Doimukh elephant corridor (Project Elephant, 2023).

# 04. General recommendations for all sites

The following blanket recommendations are to be implemented across all sites:

- Distributed Acoustic Sensing (DAS) based Intrusion Detection Systems (IDS) are to be implemented on all sensitive stretches on priority. Further all level crossings and ramps should incorporate the DAS IDS system as well.
- 2. Sign boards on the sensitive stretches should be erected to alert loco pilots, along with indications of specific wildlife-crossing zones.
- 3. Goods trains should be scheduled for the daytime as much as possible or during the time period when the activity of the wildlife species especially elephants is at its minimum.
- 4. For construction of structural mitigation measures (underpasses, overpasses, level crossings and ramps), the WII report on specifications of mitigation measures should be referred.
- 5. Regular clearing of vegetation till at least 30 m on either side of the railway tracks is to be done to increase visibility for both loco pilots and elephants. The frequency and responsibility of carrying out pruning may be decided mutually by both parties.
- 6. Strict restriction and fines on disposal of garbage, especially food items, from operating trains on railway tracks in sensitive stretches and railway stations near them should be imposed.
- 7. Joint teams of railways and forest department personnel should be formed for all critical stretches. The team would be responsible for joint patrolling on the track of elephant presence, coordination and information sharing, and regular cleaning of railway tracks. This can be achieved by creating WhatsApp groups for each region comprising of senior officials and frontline staff of the railways and forest department.
- 8. There should be regular cooperation and exchange of information between forest department and railways staff. Regular sensitization workshops for railway staff, especially loco pilots and ground staff should be conducted.
- 9. Most railway tracks in the surveyed areas are in the process of getting electrified. Adequate measures (insulation and proofing of all electric infrastructure) should be taken to avoid incidents of electrocution of wildlife because of the railway electric infrastructure.
- 10. To discourage use of wildlife-friendly ramps and level crossings by people and vehicles, concrete barrier poles and/or other barriers should be built that are high enough to block passage of 2 and 4-wheelers, but low enough to allow elephants to pass.
- I I. Incidences of elephant and wildlife injury and mortality should be documented by both parties, with complete details on GPS location, chainage, date and time of day.
- 12. In the future, all metre-gauge to broad-gauge conversion projects in elephant landscapes should include comprehensive elephant mitigation plans.
- 13. In the future, railway stretches posing collision and barrier risks to wildlife should be identified that exist beyond elephant reserves and protected areas, such as corridors.

### 05. Dashboard for monitoring implementation of mitigation measures

![](_page_21_Figure_1.jpeg)

India is a megadiverse country, with only 2.4% of the world's land area, but accounts for 7-8% of all recorded species of the world, including about 91,000 species of animals and 45,500 species of plants. India is also the second-most populous country in the world with a population of over 1.3 billion people! To transport and cater to the needs of such a large population, the Indian Railway is the main artery of inland transportation in India. In 2020, it carried a total of 808.6 crore passengers! Indian Railways is also the single largest employer in India and the eighth largest in the world, employing approximately 13 Lakh people. It is the country's lifeline for large-scale traffic movement – freight and passengers. Railways are at the core of India's economic development and make it possible to conduct many activities like business, sightseeing, and pilgrimage along with the transportation of goods over longer distances. In fact, the Indian Railways is among the world's largest rail networks and runs thousands of trains daily. To cater to India's fast-growing economy, the railway sector has envisaged Vision 2024 to achieve targets of 2024 MT freight loading by 2024. The railway also aims to electrify the entire network.

Recognized as economic, energy-efficient, and environment-friendly relative to other means of transport such as roads and air, the expansion and upgrading of railways is seen as an important measure in supporting development through large-scale movement of people and goods. However, railway construction and operation has its ecological effects, and a range of impacts on wildlife and habitats have also been documented. Several of India's passenger

![](_page_22_Figure_0.jpeg)

and freight trains crisscross through some of the country's most sensitive wildlife habitats, particularly protected areas and corridors that are home to critically endangered tigers and elephants, amongst other animals. The extensive network of our Railways cuts through several of these forested landscapes, compromising the connectivity of the landscape and resulting in a barrier effect.

To reduce the impact of railways on our wildlife, it is important to come together and develop measures that can protect India's rich biodiversity and also help to develop a system that is more sustainable and effective in minimizing mortalities and reducing barrier effects across the railways tracks passing through sensitive habitats in India

Project Elephant Division of MoEF&CC in coordination with Ministry of Railways and Wildlife Institute of India has identified sensitive stretches which need prioritization for mitigation planning. The portal is developed to monitor the progress of implementation of mitigation measures from the beginning. The process involves joint surveys of the identified stretches by officials of the Forest Department, Railways and Wildlife Institute of India, recommendation of mitigation measures and implementation of the mitigation measures. The mitigation proposed on the stretches surveyed by various team has been upload on the dashboard. The dashboard can be accessed at Railway Crossing Zones Dashboard (arcgis.com)

The purpose of the dashboard is to monitor the implementation of the mitigation measures on the surveyed stretches. The officers are requested to update the information on the dashboard developed for the purpose. In case of any issues please reach us at <u>projectelephant.moef@gmail.com</u> or <u>elephantcell@wii.gov.in</u>

### 06. List of State Forest Department and Indian Railways officials consulted during the survey

S.No.	Name and Designation	Contact details			
State Forest Departments					
Ι.	Sri Hano Moda DFO, Pasighat, Arunachal Pradesh	98626 29144			
2.	Sri T.T.Toppu DFO, Itanagar, Arunachal Pradesh	94022 75611			
3.	Sri T. Dupit RFO, Doimukh Range, Arunachal Pradesh	84138 35759			
4.	Sri Opang Jamoh RO, Ruksin Range, Arunachal Pradesh				
5.	Sri Adiram Natung Forester/Beat Officer, Gumto, Arunachal Pradesh	98631 99411			
Indian Ro	ailways (NFR)				
6.	Sri A. K. Kushwaha Northeast Frontier Railway	90020 52204			
7.	Sri Vivek Bajaj DEN 1, Tinsukia Division	99575 55202			
8.	Sri Lakshman Singh DEN I, Lumding Division	99575 53201			
9.	DEN 3, Lumding Division	99575 53206			
10.	Sri Arvind Kumar DEN 3, Rangia Division	99757 54203			
11.	Sri Abhishek Choudhary XEN, Pasighat	99575 56458			
12.	Sri Vishnu Kumar ADEN Dimapur	99575 53219			
13.	Sri Dibyajyoti Dutta ADEN 3, Lumding Division	99575 53213			
14.	Sri Gautam Saikia SSE/P.Way/I.C/MRG	99575 55217			
15.	Sri Biman Doley SSE, Works, Pasighat SPTR	99575 56459			
16.	Sri Deep Das SSE/P:WAY/NLP/east	99575 54284			
17.	Sri Ratan Majumder SSE/P.Way/H/LMG (Sc)	99575 51036			
18.	Sri Jayanta Rajbongshi SSE/PWay/INE/BBU-BJL				
19.	Sri Dizen Medhi SSE/PWay/RPAN	96137 17029			
20.	Sri Lima Sungba AO, SSE/P.Way/DMV	84718 03593			
21.	Sri Dharvesh Pal Singh Jr. Engr./PWay, Naharlagun	78958 55801			
22.	Sri Himanshu Bisht JE/P.Way/JRBM	89389 67260			
23.	Sri Mintu Choudhury Trolley Man, Balipara-Bhalukpong	88768 14722			
24.	Sri Bijay Boro TRM1/BBU	91014 12871			

### 07. References

Project Elephant, MoEF&CC, Government of India (2023), Elephant Corridors of India 2023 (Edition – 1/2023).

WII, (2024). General Guidelines for Suggesting Mitigation Measures on Existing Railway Tracks Through Elephant Habitats in India.

![](_page_25_Picture_0.jpeg)

![](_page_26_Picture_0.jpeg)

![](_page_27_Picture_0.jpeg)

### **GENERAL GUIDELINES**

### FOR SUGGESTING MITIGATION MEASURES ON EXISTING RAILWAY TRACKS THROUGH ELEPHANT HABITATS IN INDIA

![](_page_27_Picture_3.jpeg)

### General Guidelines for Suggesting Mitigation Mesaurs on Railways Tracks through Elephant Habitats in India

Railway lines passing through elephant habitats can alter movement patterns and cause collisions of elephants with trains. Considering the threats to both elephant and human life, WII in consultation with Project Elephant Division of MoEFCC and State Forest Departments has identified 105 stretches of railway lines cutting through elephant reserves and elephant distribution beyond elephant reserves. Subsequently, the Ministry of Environment, Forests and Climate Change (MoEF&CC) and the Ministry of Railways (MoR) in a joint meeting directed that surveys by the railway officials, respective state forest department officers, and WII should be conducted within these stretches. The objectives of the joint field surveys would be to identify specific elephant crossing zones on these stretches and to suggest site-specific mitigation measures based on the location and the extent of these crossing zones.

In the case of existing railway lines, designing and locating structural mitigation measures for wildlife are confounded by several factors. Most critical among these is the limitation of the track height i.e., the height of the railway track with respect to surrounding terrain, making it difficult to allocate the minimum underpass height of 6 m required for animal underpasses in elephant landscapes. Additionally, excavating the ground under the track to achieve the prescribed height makes structures vulnerable to damage by rainwater, and also renders the structures unusable by wildlife. Thus, the choice of mitigation measures on existing railway lines has to be based on multiple factors that include wildlife, landscape as well as railway track design considerations. However, in the case of new railway lines, allocating adequate height to the railway tracks to incorporate wildlife mitigation measures along the line should be ensured.

In light of these factors, the following general pointers are prescribed to guide the Railway and Forest Officials in designing and choosing between different structural mitigation measures in the identified critical elephant zones intersected by railway lines. The choice of mitigation measures can be based on landscape, topography, railway track height, and other logistics.

#### 1. Level crossings

The coarse ballast used on railway tracks is unsuitable for movement by wildlife, particularly elephants. For this reason, level crossings for elephants built using suitable material (soil, cement) and with smooth gradient can help ease movement across the railway track at grade. Level crossings are ideally located where the surrounding land is at level (flat) with the railway track and coincides with a known/identified elephant crossing area. Rubberized level crossings<sup>1</sup> (Fig. 1) may also be used in place of cement and soil.

<sup>&</sup>lt;sup>1</sup> Functional Specification for Rubberised Surface at Level Crossings. 2019. Ministry of Railways, Govt of India. https://rdso.indianrailways.gov.in/

![](_page_29_Picture_0.jpeg)

Figure 1. A level crossing with a rubberised surface that can be replicated on level crossings for wildlife.

#### 2. Ramps

At most elephant crossing locations intersected by railway lines, the elevation in track height and the additional layer of ballast makes it difficult for a large-bodied hoofed animal like an elephant to make quick decisions and move away from a railway track in the event of an approaching train, leading to elephant-train collisions. At such locations, ramps using suitable material (soil, cement) may be constructed that flattens towards the top of the track, and allow for smooth and quick movement by elephants. It is important to include a level crossing instead of ballast at the top of the ramp (near the railway track) to ensure smooth movement by elephants. The sites for construction should be based on identified animal crossing zones and suitable terrain. Ramps should be levelled with the surrounding terrain by smoothening out the slope (Fig. 2). Additionally, in areas with human presence, the ramps may be fenced to funnel elephant movement across the railway track.

The orientation of the ramps with respect to the railway track may be oblique or perpendicular, depending on the land available for flattening the ramp to a navigable slope. The width of ramps and level crossings for elephants should be at least 50 m wide. Early warning systems or wildlife sensors may be provided at these places as additional measures to detect elephant movement and to avoid collision with trains.

![](_page_30_Picture_0.jpeg)

Figure 2. An example of a ramp built for aiding elephant movement across a railway line near Coimbatore, Tamil Nadu, India (Top) and an elephant group using a ramp constructed for ease of movement in Deepor Bheel Assam, India (Bottom).

#### 3. Wildlife underpasses

The term wildlife underpass can be used to describe different types of structures built below the railway track to facilitate wildlife movement. These can be box culverts, viaducts, or bridges with natural drainage of different heights and widths, depending on the target wild species or community. In elephant landscapes, the minimum height of an underpass should be 6 m, with adequate width (minimum 30 m) to allow for the movement of large elephant herds (Fig. 3). However, the actual size would depend on the width of the crossing zone and feasibility of construction of underpass considering track height and curvature. Nonetheless, all efforts should be made to maintain a minimum width of 30 m. At locations where the track height is suitable, the topography of the adjacent land should be such to avoid flooding of the underpass by rainwater. Additionally, light and sound barriers should be installed above the railway track to reduce the disturbance due to train traffic on animals using underpasses.

![](_page_31_Figure_2.jpeg)

#### Figure 3. Graphic representation of an underpass for elephants below a railway track.

#### 4. Wildlife overpasses

Wildlife overpasses are bridge-like structures built at a height across linear infrastructure (roads and railway lines) to allow wildlife to move across the gap in the habitat. Such structures are usually enhanced with natural habitat features such as native vegetation, rocks and logs. Wildlife overpasses are less confining, quieter and have ambient natural conditions of light and weather as compared to wildlife underpasses. Since wildlife overpasses are built at a height, construction of overpasses requires adequate height on either side of the road/railway line. Thus, overpasses should be built at locations with suitable height (> 7m) and topography on either side. A wildlife overpass should not be less than 30 m wide, and may be wider in case of double or triple parallel railway lines.

Overpasses should ideally be built using pre-fabricated material and installed on-site. The overburden from the construction site or excavated from other sites may be used for filling. Further a suitably thick layer of soil should be laid on top of the pre-fabricated material. Revegetation should then be carried out using native grasses and shrubs on the substrate to provide a natural movement path. Either side of the top of the Page 6 of 9 overpasses should be fenced with light and sound barriers (Fig. 4). The slope/approach of the overpass should be not more than 30 degrees at any point. If the overpass is to be constructed across two or more railway tracks, a supporting pillar/post may be provided for structural support (Fig. 5).

![](_page_32_Figure_1.jpeg)

Figure 4. Aerial and front view of overpasses on railway tracks, with fencing/noise and sound barrier details.

![](_page_32_Picture_3.jpeg)

#### Figure 5. Lateral view of a wildlife overpass on a double-track railway line.

#### 5. Installation of Distributed Acoustic Sensing (DAS) System

Irrespective of the type of mitigation measures to be employed across the sensitive railway stretches, all the sensitive stretches have to be installed with DAS. The system developed by railways to detect the presence and movement of the elephants along the railway tracks is basically an intrusion-based detection system based on Distributed Acoustic Sensing (DAS). A DAS monitoring interrogator converts a standard communications single-mode fiber into thousands of extremely sensitive acoustic and vibration sensors. The Distributed Acoustic Sensor connected to one end of the fiber uses a laser to send thousands of short pulses of light along the fiber every second. A small portion of the light traveling in fiber is reflected by the process known as Rayleigh Backscatter. The concept of securing a network from malicious entities by capturing and monitoring data packets was first employed by James Anderson in 1980. Since then, researchers have developed various approaches to enhance the performance and accuracy of intrusion detection.

Vibrations from the surrounding environment will disturb the light in the fiber and will therefore be observed by the DAS interrogator. The events that are of concern are reported to the alarm server. As the data is processed in real-time, advanced algorithms can recognize the unique signatures of each type of event.

The system can show the precise location of the event, and information about what event has taken place, which means the laser pulse frequency, pulse width, and many other parameters. These parameters can be controlled, enabling the system to be tuned to the desired requirement. Integrated with machine learning and artificial intelligence, the system can differentiate even between minor variations in the scatter. The optic fiber cable running along infrastructure and other important assets can give uninterrupted and real-time feedback on activities occurring along and around them.

The recommendations of the MoEFCC committee constituted vide office order No. WL-8/28/2022-WL on 3<sup>rd</sup> January 2023 needs to be considered for the implementation of the DAS.

\*\*\*\*\*\*\*\*

![](_page_35_Picture_0.jpeg)

Project Elephant Division Ministry of Environment, Forest & Climate Change 6th Floor, Jal Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi 110003. E-mail: projectelephant.moef@gmail.com

![](_page_35_Picture_2.jpeg)

![](_page_35_Picture_4.jpeg)